

PRODUCT DATA SHEET

Ansell Lighting APACLED1/120/WW



Pace Backlit 1200x600 Panel Warm White

Manufacturer: Ansell Lighting

GTIN: 5056144257089

Range: Pace 1200x600

Family: Commercial



DESCRIPTION

Backlit LED panel suitable for education, commercial and ancillary area applications

- Slimline design allows for installation into shallow ceiling voids
- UGR<19 (unified glare rating) compliant luminaire assisting to eliminate glare for visual comfort
- Cool white, warm white and daylight options
- Self-Test Panel Pod and Sensor Pod compatible
- Dimmable and OCTO options available
- TPa as standard
- Powered by Tridonic
- Self-Test Panel Pod and Sensor Pod compatible

TECHNICAL SPECIFICATION



ETIM Class: Ceiling / wall luminaire (EC002892)

Primary Features

| | | | |
|----------------------------------|-------------|---|-----------|
| Colour of light | White | Maximum system power (W) | 46 |
| Colour temperature (K) | 3000 - 3000 | Nominal voltage (V) | 220 - 240 |
| Degree of protection (IP rating) | IP44 | Number of lamps | 1 |
| Lamp included | Yes | Rated luminous flux acc. IEC 62722-2-1 (lm) | 5300 |
| Luminaire efficacy (lm/W) | 115 | | |

Additional Features

| | | | |
|-------------------------------------|------------------------|---------------------------------|-----|
| Beam angle | Extreme wide beam >80° | Suitable for ceiling mounting | Yes |
| Colour consistency (McAdam ellipse) | SDCM3 | Suitable for emergency lighting | No |
| Colour rendering index (CRI/Ra) | 80-89 | Suitable for recessed mounting | Yes |
| Colour temperature switchable | No | Suitable for surface mounting | Yes |
| Control gear included | Yes | Suitable for suspended mounting | Yes |
| Height/depth (mm) | 35 | Unified Glare Rating (UGR) | 17 |
| Length (mm) | 1195 | Width (mm) | 595 |
| No dimming function | Yes | With light sensor | No |
| Protection class | II | With movement sensor | No |

FURTHER DETAILS

Product Status (at download): Active

Date Updated: 16-05-2023

Trade Tariff Commodity Code: 9405119090

Country of Origin: CN

Ansell Lighting, Unit 6B Stonecross Industrial Park Yew Tree Way, Warrington, WA3 3JD

☎ 01942 433 333

✉ saleswarrington@anselluk.com

🌐 <http://www.anselluk.com>

Disclaimer

- This Data Sheet was downloaded from EDATA - www.edata.org.uk - the UK electrotechnical industry data pool managed by EDA Data Services Limited on behalf of the Electrical Distributors' Association, on 23/10/2023.
- All intellectual property rights in the Product Data shown in this Data Sheet remains at all times the property of the Manufacturer named on the Data Sheet
- Product Data shown on the Data Sheet is for the product as supplied by the Manufacturer. Any subsequent modification of the product may affect specification and performance.
- Every reasonable effort is made to ensure accuracy of the Product Data which is believed to be correct at the date of download from EDATA. However neither the Manufacturer, the Wholesaler who downloaded the Data Sheet, nor EDA Data Services warrant the accuracy of the Product Data.
- The Product Data shown on the Data Sheet is not contractually binding. The Manufacturer reserves the right to amend the Product Data without prior notice.