

LEDPROCAM

LEDPRO Wi-Fi PIR Camera Black

Features & Benefits

- Compatible with all existing LEDPRO Floodlights, no extra wiring required.
- Local and Cloud storage options available.
- PIR sensitivity, adjustable via the TuyaSmart App.
- Google Assistant and Amazon Alexa compatible.
- Simple and quick to fit terminal connection.
- IP55 rated (when fitted to a LEDPRO floodlight).
- Time ON, adjustable via the TuyaSmart App.
- Simple and quick to fit terminal connection.



Technical Data

Operating Voltage	230V AC
Frequency	50Hz
Installation Type	Plug-in (LEDPRO Module)
WLAN-Standard	802.11 b/g/n 2.4GHz
Earth Class Rating	Class I
Operating Temperature	0°C to 40°C
Ingress Protection Rating	IP55
Setting Type	WIFI (App Based)
Camera Resolution	1080P
Field Of View	270°
Video Recording	Event Based
Alarm Volume	100dB
Audio	Internal Speaker and Microphone

Storage	128GB Micro SD Card (Not Included), Supports Cloud Storage
Approved Mounting Height (m)	2.5
Motion Detection (m)	10
Detection Angle	270°
PIR Sensitivity	(Adjustable) App Based
Night Vision	Auto
VPN Support	No
Program Modes	ON/OFF, Timed, PIR Triggered
Pan & Tilt Adjustment	10° Left, Right & Down (From Centre)
Standby Consumption	<6W
Switch Rating	200W LED
Shortest Switching Time	30 Seconds
ON Time Adjustment	30 Sec, 2 Min, 8 Min, 15 Min
LUX Level	Non Adjustable
Detection Range (m)	10
Permanent ON Facility	Yes
Multiple Unit Support	Yes
Cable Entry(s)	Back Entry

General

Weight (g)	335
Height (mm)	189
Width (mm)	80
Depth (mm)	140
Body Construction	Polycarbonate
Product Colour	Black
Accessories (Included)	Fittings

Data sheet

LEDPROCAM

Wi-Fi / Wi-Fi Cameras

EAN Number	5012483015612
Guarantee Period	3 Years
Trade Tariff Commodity Code	8536909500

Line Diagrams

